Antimicrobial susceptibility of invasive Haemophilus influenzae, 2012

The antimicrobial susceptibility of all 60 viable invasive isolates of *H. influenzae* referred to ESR in 2012 was tested (see table). Ampicillin, co-amoxiclav, cefuroxime and cefaclor minimum inhibitory concentrations (MICs) were determined by Etest on Haemophilus test medium. Cefotaxime, ciprofloxacin, clarithromycin, co-trimoxazole, rifampicin and tetracycline susceptibilities were determined by disc diffusion on Haemophilus test medium. MICs and disc diffusion zone diameters were interpreted according to the Clinical and Laboratory Standards Institute's criteria. ¹

Four (6.7%) of the 60 isolates were serotype b. Six (10.0%) isolates produced β -lactamase. Eleven isolates were ampicillin resistant, but not β -lactamase producing – so-called BLNAR (β -lactamase-negative, ampicillin-resistant) *H. influenzae*. One of the β -lactamase producing isolates appeared to also have the BLNAR mechanism of resistance, that is, an altered penicillin-binding protein (PBP).

Antimicrobial resistance among Haemophilus influenzae isolates from invasive disease, 2012

Antibiotic ¹	Number tested	Number resistant ²	Percent resistant
Ampicillin	60	17	28.3
Co-amoxiclav	60	12	20.0
Cefaclor	60	12	20.0
Cefuroxime	60	12	20.0
Cefotaxime	60	0	0
Ciprofloxacin	60	0	0
Clarithromycin	60	2	3.3
Co-trimoxazole	60	18	30.0
Rifampicin	60	0	0
Tetracycline	60	0	0

Results for the full range of antibiotics tested are presented. Many are not appropriate for the treatment of invasive *H. influenzae* disease or the chemoprophylaxis of contacts.

Trends in ampicillin resistance and β -lactamase production among invasive H. *influenzae* over the last 10 years are shown in the figure below. Until 2005, most of the ampicillin resistance was due to β -lactamase production. However, since that time, only about half the ampicillin-resistant isolates have been producers of β -lactamase, with the other half being BLNAR H. *influenzae*.

² All β-lactamase-negative, ampicillin-resistant (BLNAR) *H. influenzae* have been considered resistant to ampicillin, co-amoxiclav, cefaclor and cefuroxime, in line with the Clinical and Laboratory Standards Institute's recommendations, although they often test as susceptible to these antibiotics in standard susceptibility tests.

¹ Clinical and Laboratory Standards Institute. Performance standards for antimicrobial susceptibility testing; twenty-second informational supplement. Wayne, PA, USA: CLSI; 2012. CLSI document M100-S22

Ampicillin resistance and β -lactamase production among invasive Haemophilus influenzae, 2003-2012

